

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2021

EPA Codes		Site Name		Pollutant	Date	Concentration	Units
Site	-						
PALMERTON							
42-025-0214	1	PALMERTON		Lead (LC)	1/4/2021	0.016	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	1/10/2021	0.018	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	1/16/2021	0.003	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	1/22/2021	0.038	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	2/9/2021	0.01	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	2/21/2021	0.024	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	2/27/2021	0.017	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/5/2021	0.002	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/11/2021	0.047	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/17/2021	0.014	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/23/2021	0.006	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/29/2021	0.004	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	4/4/2021	0.023	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	4/10/2021	0.011	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	4/16/2021	0.005	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	4/22/2021	0.003	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	4/28/2021	0.049	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	5/4/2021	0.022	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	5/10/2021	0.012	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	5/16/2021	0.043	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	5/22/2021	0.018	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	6/3/2021	0.009	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	6/9/2021	0.019	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	6/21/2021	0.033	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	6/27/2021	0.027	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	7/9/2021	0.017	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	7/15/2021	0.073	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	7/21/2021	0.016	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	7/27/2021	0.019	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/2/2021	0.004	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/8/2021	0.014	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/20/2021	0.013	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/26/2021	0.027	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	9/1/2021	0.007	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	9/7/2021	0.038	µg/m ³

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2021

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-025-0214	1	PALMERTON	Lead (LC)	9/13/2021	0.021	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	9/19/2021	0.011	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	9/25/2021	0.052	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/1/2021	0.025	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/7/2021	0.027	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/13/2021	0.01	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/19/2021	0.01	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/25/2021	0.028	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/31/2021	0.009	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/6/2021	0.018	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/12/2021	0.006	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/24/2021	0.059	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/30/2021	0.038	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/6/2021	0.02	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/12/2021	0.007	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/18/2021	0.006	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/24/2021	0.007	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/30/2021	0.01	µg/m ³	
PALMERTON HIGH SCHOOL							
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/4/2021	0.005	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/10/2021	0.004	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/16/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/22/2021	0.004	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/28/2021		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/3/2021		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/9/2021	0.022	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/15/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/21/2021	0.005	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/27/2021		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/5/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/11/2021	0.021	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/17/2021	0.006	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/23/2021	0.008	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/29/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/4/2021	0.014	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/10/2021	0.009	µg/m ³	

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2021

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/16/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/22/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/28/2021	0.004	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/4/2021	0.024	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/10/2021	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/16/2021	0.023	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/22/2021	0.008	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/28/2021	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/3/2021	0.005	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/9/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/15/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/21/2021	0.004	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/27/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/3/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/9/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/15/2021	0.019	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/21/2021	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/27/2021	0.009	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/2/2021	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/8/2021	0.012	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/14/2021	0.005	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/20/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/26/2021		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/1/2021	0.009	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/7/2021	0.009	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/13/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/19/2021	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/25/2021	0.012	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/1/2021	0.008	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/7/2021	0.008	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/13/2021	0.003	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/19/2021	0.002	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/25/2021	0.01	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/31/2021	0.006	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	11/6/2021	0.027	µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	11/12/2021	0.002	µg/m ³	

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2021

EPA Codes		Site	-	Site Name	Pollutant	Date	Concentration	Units
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	11/18/2021	0.018	µg/m ³
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	11/24/2021	0.011	µg/m ³
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	11/30/2021	0.008	µg/m ³
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	12/6/2021	0.003	µg/m ³
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	12/12/2021	0.002	µg/m ³
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	12/18/2021	0.017	µg/m ³
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	12/24/2021	0.008	µg/m ³
42-025-0217	1			PALMERTON HIGH SCHOOL	Lead (LC)	12/30/2021	0.009	µg/m ³