

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

July 2023 - September 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes		Site Name		Pollutant	Date	Concentration	Units
Site	-						
<b>BEAVER VALLEY</b>							
42-007-0007	1	BEAVER VALLEY		Lead (LC)	7/5/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	7/11/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	7/17/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	7/23/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	7/29/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	8/4/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	8/16/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	9/3/2023	0.002	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	9/9/2023	0.003	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	9/15/2023	0.004	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	9/21/2023	0.004	µg/m <sup>3</sup>
42-007-0007	1	BEAVER VALLEY		Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>
<b>CHESTER</b>							
42-045-0002	1	CHESTER		Lead (LC)	7/5/2023	0.004	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	7/11/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	7/17/2023	0.002	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	7/23/2023	0.002	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	7/29/2023	0.002	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	8/4/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	8/10/2023	0.006	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	8/16/2023	0.004	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	8/22/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	8/28/2023	0.002	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	9/3/2023	0.004	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	9/9/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	9/15/2023	0.002	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	9/21/2023	0.003	µg/m <sup>3</sup>
42-045-0002	1	CHESTER		Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>
<b>CONEMAUGH</b>							
42-129-0009	1	CONEMAUGH		Lead (LC)	7/5/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	7/11/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	7/17/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	7/23/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	9/3/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH		Lead (LC)	9/9/2023	0.002	µg/m <sup>3</sup>

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

July 2023 - September 2023

Note: The Palmerton High School monitor is currently suspended

### EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-129-0009	1	CONEMAUGH	Lead (LC)	9/15/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	9/21/2023	0.002	µg/m <sup>3</sup>
42-129-0009	1	CONEMAUGH	Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>

### ELLWOOD CITY

42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/5/2023	0.007	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/11/2023	0.008	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/17/2023	0.014	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/23/2023	0.005	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/29/2023	0.014	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/4/2023	0.004	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/10/2023	0.004	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/16/2023	0.002	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/15/2023	0.004	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/21/2023	0.005	µg/m <sup>3</sup>
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/27/2023	0.003	µg/m <sup>3</sup>

### LAURELDALE SOUTH

42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/5/2023	0.005	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/11/2023	0.005	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/17/2023	0.003	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/29/2023	0.002	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/15/2023	0.003	µg/m <sup>3</sup>
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/27/2023	0.005	µg/m <sup>3</sup>

### LYONS BORO

42-011-0021	1	LYONS BORO	Lead (LC)	7/5/2023	0.007	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	7/11/2023	0.021	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	7/17/2023	0.026	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	7/29/2023	0.041	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	9/15/2023	0.006	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	9/21/2023	0.01	µg/m <sup>3</sup>
42-011-0021	1	LYONS BORO	Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>

### LYONS PARK

42-011-0022	1	LYONS PARK	Lead (LC)	7/5/2023	0.005	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	7/11/2023	0.021	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	7/17/2023	0.019	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	7/29/2023	0.022	µg/m <sup>3</sup>
42-011-0022	1	LYONS PARK	Lead (LC)	9/15/2023	0.004	µg/m <sup>3</sup>

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

July 2023 - September 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-011-0022	1	LYONS PARK	Lead (LC)	9/21/2023	0.009	µg/m <sup>3</sup>	
42-011-0022	1	LYONS PARK	Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>	
<b>MT JOY</b>							
42-071-0009	1	MT JOY	Lead (LC)	7/5/2023	0.011	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	7/17/2023	0.006	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	7/23/2023	0.006	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	7/29/2023	0.019	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	8/4/2023	0.002	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	8/10/2023	0.01	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	8/16/2023	0.026	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	8/22/2023	0.003	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	9/21/2023	0.01	µg/m <sup>3</sup>	
42-071-0009	1	MT JOY	Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>	
<b>PALMERTON</b>							
42-025-0214	1	PALMERTON	Lead (LC)	7/5/2023	0.068	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	7/11/2023	0.125	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	7/17/2023	0.173	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	7/23/2023	0.096	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	7/29/2023	0.089	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	8/4/2023	0.287	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	8/10/2023	0.052	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	8/16/2023	0.019	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	8/22/2023	0.005	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	9/15/2023	0.005	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	9/21/2023	0.039	µg/m <sup>3</sup>	
42-025-0214	1	PALMERTON	Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>	
<b>POTTER TOWNSHIP</b>							
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/5/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/11/2023	0.003	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/17/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/23/2023	0.003	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/29/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/4/2023	0.003	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/10/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/16/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/9/2023	0.002	µg/m <sup>3</sup>	

# Discrete Data Retrieval - Quarterly Report

## 24-hour Concentration Values

July 2023 - September 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/15/2023	0.002	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/21/2023	0.003	µg/m <sup>3</sup>	
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/27/2023	0.002	µg/m <sup>3</sup>	
VANPORT							
42-007-0505	1	VANPORT	Lead (LC)	7/5/2023	0.003	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	7/11/2023	0.002	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	7/17/2023	0.002	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	7/23/2023	0.002	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	7/29/2023	0.002	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	8/4/2023	0.003	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	8/10/2023	0.002	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	8/16/2023	0.002	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	9/3/2023	0.002	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	9/9/2023	0.003	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	9/15/2023	0.003	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	9/21/2023	0.003	µg/m <sup>3</sup>	
42-007-0505	1	VANPORT	Lead (LC)	9/27/2023	0.003	µg/m <sup>3</sup>	