

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2023

EPA Codes		Site	Site Name	Pollutant	Date	Concentration	Units
PALMERTON							
42-025-0214	1	PALMERTON	Lead (LC)	1/6/2023	0.005	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	1/18/2023	0.011	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	1/24/2023	0.002	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	1/30/2023	0.037	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/5/2023	0.013	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/11/2023	0.004	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/17/2023	0.017	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	2/23/2023	0.016	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/1/2023	0.035	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/7/2023	0.002	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/19/2023	0.002	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/25/2023	0.005	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	3/31/2023	0.034	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	4/6/2023	0.05	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	4/12/2023	0.037	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	4/18/2023	0.009	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	4/24/2023	0.034	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	4/30/2023	0.005	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	5/6/2023	0.064	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	5/12/2023	0.061	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	5/18/2023	0.033	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	6/5/2023	0.057	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	6/11/2023	0.086	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	6/17/2023	0.039	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	6/23/2023	0.002	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	6/29/2023	0.024	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	7/5/2023	0.068	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	7/11/2023	0.125	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	7/17/2023	0.173	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	7/23/2023	0.096	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	8/4/2023	0.287	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	8/10/2023	0.052	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	8/16/2023	0.019	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	8/22/2023	0.005	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	8/28/2023	0.003	µg/m ³	

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2023

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-025-0214	1	PALMERTON	Lead (LC)	9/3/2023	0.153	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	9/9/2023	0.007	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	9/15/2023	0.005	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	9/21/2023	0.039	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	9/27/2023	0.002	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/3/2023	0.515	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/9/2023	0.196	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/15/2023	0.046	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/21/2023	0.005	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	10/27/2023	0.596	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/2/2023	0.476	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/8/2023	0.01	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/20/2023	0.024	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	11/26/2023	0.034	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/2/2023	0.054	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/8/2023	0.286	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/14/2023	0.235	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/20/2023	0.011	µg/m ³	
42-025-0214	1	PALMERTON	Lead (LC)	12/26/2023	0.004	µg/m ³	
PALMERTON HIGH SCHOOL							
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/6/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/12/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/18/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/24/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	1/30/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/5/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/11/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/17/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	2/23/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/1/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/7/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/13/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/19/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/25/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	3/31/2023		µg/m ³	
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/6/2023		µg/m ³	

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2023

EPA Codes		Site Name	Pollutant	Date	Concentration	Units
Site						
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/12/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/18/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/24/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	4/30/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/6/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/12/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/18/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/24/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	5/30/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/5/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/11/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/17/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/23/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	6/29/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/5/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/11/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/17/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/23/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	7/29/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/4/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/10/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/16/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/22/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/28/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/3/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/9/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/15/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/21/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/27/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/3/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/9/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/15/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/21/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	10/27/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	11/2/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	11/8/2023		µg/m ³

24-Hour Criteria Lead Concentration Values in Palmerton, PA

Discrete Data Retrieval - Yearly Report

January 1 - December 31, 2023

EPA Codes

Site	-	Site Name	Pollutant	Date	Concentration	Units
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	11/14/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	11/20/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	11/26/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	12/2/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	12/8/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	12/14/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	12/20/2023		µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	12/26/2023		µg/m ³